BBA

Gene Structure and Expression

Vol. 1129, 1992

# Cumulative Contents

*Information for Contributors* vii

## *Regular Papers*

Genetic regulation of cardiolipin synthase in *Escherichia coli*
*S. Heber and B.E. Tropp (U.S.A.)* 1

Murine cyclophilin-S1: a variant peptidyl-prolyl isomerase with a putative signal sequence expressed in differentiating F9 cells
*A. Schumacher, H. Schröter, G. Multhaup and A. Nordheim (Germany)* 13

Cloning, nucleotide sequence and expression in *Escherichia coli* of two cobalt-containing nitrile hydratase genes from *Rhodococcus rhodochrous* J1
*M. Kobayashi, M. Nishiyama, T. Nagasawa, S. Horinouchi, T. Beppu and H. Yamada (Japan)* 23

Reduced levels of $\alpha$1 (I) collagen mRNA in cells immortalized by mutant p53 or transformed by *ras*
*O. Eizenberg and M. Oren (Israel)* 34

Histones and DNA methylation in mammalian chromatin. II. Presence of non-inhibitory tightly-bound histones
*P. Caiafa, A. Reale, M. D'Erme, P. Allegra, R. Santoro and R. Strom (Italy)* 43

Regulation of rat gastric $H^+/K^+$-ATPase $\alpha$-subunit mRNA by omeprazole
*A. Tari, V. Wu, M. Sumii, G. Sachs and J.H. Walsh (U.S.A.)* 49

Histone–DNA contacts in the 167 bp 2-turn core particle
*N. Davies and G.G. Lindsey (South Africa)* 57

Thermal stability of turnip yellow mosaic virus RNA: effect of pH and multivalent cations on RNA deaggregation and degradation
*T. Sam, G.-J. Eecen, C. Pley, L. Bosch and M. Mandel (The Netherlands)* 64

The conformation of constitutive DNA interaction sites for eukaryotic DNA topoisomerase I on intrinsically curved DNAs
*G. Camilloni, M. Caserta, A. Amadei and E. Di Mauro (Italy)* 73

Sequences involved in brain-specific in vitro transcription from the core promoter of the mouse myelin basic protein gene
*T.-a. Tamura, K. Sumita and K. Mikoshiba (Japan)* 83

## *Rapid Report*

Identification of a previously unrecognized production site of human renin
*M.-S. Seo, A. Fukamizu, T. Saito and K. Murakami (Japan)* 87

## *Short Sequence-Papers*

Cloning and characterisation of a U6 small nuclear RNA gene from potato
*Y. Hu, J.W.S. Brown, R. Waugh and P.C. Turner (U.K.)* 90

The organization and expression of the human L7a ribosomal protein gene
*P. Colombo, J. Yon and M. Fried (U.K.)* 93

Cloning of cDNA encoding rat TCP-1
*T. Morita, H. Kubota, G. Gachelin, M. Nozaki and A. Matsushiro (Japan, France)* 96

The most conserved nuclear-encoded polypeptide of cytochrome *c* oxidase is the putative zinc-binding subunit: primary structure of subunit V from the slime mold *Dictyostelium discoideum*
*R. Rizzuto, D. Sandonà, M. Brini, R.A. Capaldi and R. Bisson (Italy, U.S.A.)* 100

Cloning, sequence and tissue distribution of a rabbit renal $Na^+/H^+$ exchanger transcript
*F. Hildebrandt, J.H. Pizzonia, R.F. Reilly, N.A. Rebouças, C. Sardet, J. Pouysségur, C.W. Slayman, P.S. Aronson and P. Igarashi (U.S.A., France)* 105

The nucleotide sequence of the *Escherichia coli crp* divergent RNA and an overlapping ORF
*R. Bhasin and M. Freundlich (U.S.A.)* 109

A bacterial homolog to HPRT
*D.L. Beckman and R.G. Kranz (U.S.A.)* 112

Cloning and sequence analysis of hydrogenase regulatory genes (*hydHG*) from *Salmonella typhimurium*
*A.K. Chopra, J.W. Peterson and R. Prasad (U.S.A.)* 115

Lipoamide dehydrogenase of *Staphylococcus aureus*: nucleotide sequence and sequence analysis
*H. Hemilä (Finland)* 119

The nucleotide and deduced amino acid sequence of the cationic 19 kDa outer membrane protein OmpH of *Yersinia pseudotuberculosis*
*R. Vuorio, L. Hirvas, R.B. Raybourne, D.T.Y. Yu and M. Vaara (Finland, U.S.A.)* 124

Molecular cloning and sequence analysis of the mouse kallikrein-binding protein gene
*K.X. Chai, J. Chao and L. Chao (U.S.A.)* 127

The nucleotide sequence of a voltage-gated chloride channel from the electric organ of *Torpedo californica*
*G.P. O'Neill, R. Grygorczyk, M. Adam and A.W. Ford-Hutchinson (Canada)* 131

Cloning and sequence analysis of membrane-bound alkaline phosphatase cDNA of the silkworm, *Bombyx mori*
*M. Itoh, S. Takeda, H. Yamamoto, S. Izumi, S. Tomino and M. Eguchi (Japan)* 135

Cloning and sequencing of the casein kinase 2 $\alpha$ subunit from *Zea mays*
*G. Dobrowolska, B. Boldyreff and O.-G. Issinger (Poland, Germany)* 139

The amyloid $\beta$ protein precursor or proteinase nexin II from mouse is closer related to its human homolog than previously reported
*B. De Strooper, F. Van Leuven and H. Van Den Berghe (Belgium)* 141

## *Regular Papers*

An inhibitor of elongation factor G (EF-G) GTPase present in the ribosome wash of *Escherichia coli*: a complex of initiation factors IF1 and IF3?
*K. Nagel and J. Voigt (Germany)* 145

Expression of enzymatically active rat liver and human placental catechol-*O*-methyltransferase in *Escherichia coli*; purification and partial characterization of the enzyme
*K. Lundström, C. Tilgmann, J. Peränen, N. Kalkkinen and I. Ulmanen (Finland)* 149

The function of DNA polymerases in DNA repair synthesis of ultraviolet-irradiated human fibroblasts
*O. Popanda and H.W. Thielmann (Germany)* 155

Enhancement of DNA transfection efficiency by heat treatment of cultured mammalian cells
*T. Takai and H. Ohmori (Japan)* 161

The structure and complete nucleotide sequence of the avian lipoprotein lipase gene
*D.A. Cooper, S.-C. Lu, R. Viswanath, R.N. Freiman and A. Bensadoun (U.S.A.)* 166

Induction by psychotropic drugs and local anesthetics of DnaK and GroEL proteins in *Escherichia coli*
*K. Tanji, T. Mizushima, S. Natori and K. Sekimizu (Japan)* 172

Selective inhibition of the polypeptide chain elongation in eukaryotic cells
*R.M. Tujebajeva, D.M. Graifer, N.B. Matasova, O.S. Fedorova, V.B. Odintsov, N.A. Ajtkhozhina and G.G. Karpova (U.S.S.R.)* 177

Succinylation of histone amino groups facilitates transcription of nucleosomal cores
*M. Piñeiro, F. Hernández and E. Palacián (Spain)* 183

Differential translatability of antifreeze protein mRNAs in a transgenic host
*D.E. Rancourt, P.L. Davies and V.K. Walker (Canada)* 188

Differential mechanisms of induction of ornithine decarboxylase in rat intestine by L- and D-amino acids
*K.-i. Miyamoto, T. Oka, T. Fujii, T. Matsubara, H. Minami, Y. Nakabou, Y. Natori and H. Hagihira (Japan)* 195

Structure of the human pituitary adenylate cyclase activating polypeptide (PACAP) gene
*M. Hosoya, C. Kimura, K. Ogi, S. Ohkubo, Y. Miyamoto, H. Kugoh, M. Shimizu, H. Onda, M. Oshimura, A. Arimura and M. Fujino (Japan, U.S.A.)* 199

Electron image analysis of ribosomal subunits from *Thermus aquaticus*
*G. Harauz, L. Letvenuk and D. Flannigan (Canada)* 207

## *Rapid Report*

Partite expression of the bovine papillomavirus E1 open reading frame in *Escherichia coli*
*V.G. Wilson and J. Ludes-Meyers (U.S.A.)* 215

## *Short Sequence-Papers*

The 16S rRNA gene of *Streptomyces lividans* TK64 contains internal promoters
*S.-C. Chang, W.-C. Yang and Y.-H.W. Lee (Taiwan, Republic of China)* 219

Completion of the nucleotide sequence of the 'maltose B' region in *Salmonella typhimurium*:

the high conservation of the *malM* gene suggests a selected physiological role for its product
*E. Schneider, E. Francoz and E. Dassa (Germany, France)* 223
The nucleotide sequence of *leuB* from *Salmonella typhimurium*
*A. Andreadis and E.R. Rosenthal (U.S.A.)* 228
Nucleotide sequence of the complementary DNA for human Pit-1/GHF-1
*K.-i. Tatsumi, T. Notomi, N. Amino and K. Miyai (Japan)* 231
Molecular cloning of a cDNA encoding a novel protein related to the neuronal vesicle protein synaptophysin
*C. Zhong, D.J. Hayzer and M.S. Runge (U.S.A.)* 235
Organization and nucleotide sequence of carp gonadotropin $\alpha$ subunit genes
*C.-J. Huang, F.-L. Huang, Y.-C. Wang, Y.-S. Chang and T.-B. Lo (Taiwan)* 239
Unique use of alternative polyadenylation signals in the mouse aldolase B gene
*A.B. Maine, J.K. Stauffer, D.R. Tolan and E. Ciejek-Baez (U.S.A.)* 243
Cloning of a human collagen-binding protein, and its homology with rat gp46, chick hsp47 and mouse J6 proteins
*E.P. Clarke and B.D. Sanwal (Canada)* 246
Nucleotide sequence of endothelin-1 cDNA from rabbit endothelial cells
*P.A. Marsden, P. Sultan, M. Cybulsky, M.A. Gimbrone, Jr., B.M. Brenner and T. Collins (Canada, U.S.A.)* 249
Multiple forms of rat calpastatin cDNA in the coding region of functionally unknown amino-terminal domain
*W.J. Lee, M. Hatanaka and M. Maki (Japan)* 251

## *Review*

Interference of pathway specific transcription factors
*H. Ponta, A.C.B. Cato and P. Herrlich (Germany)* 255

## *Regular Papers*

Characterization and cloning of glycogen phosphorylase 1 from *Dictyostelium discoideum*
*P.V. Rogers, S. Luo, J.F. Sucic and C.L. Rutherford (U.S.A.)* 262
Use of a dot blot hybridization method for identification of pure tRNA species on different membranes
*J. Heitzler, L. Maréchal-Drouard, G. Dirheimer and G. Keith (France)* 273
Biochemical and biological activity of phosphorylated and non-phosphorylated *ras* p21 mutants
*H.-H. Chung, R. Kim and S.-H. Kim (U.S.A.)* 278
Production of multiple forms during purification of *Streptomyces aureofaciens* DNA polymerase: a study using nondenaturing polyacrylamide gradient gel electrophoresis
*J. Košovský, Z. Šubr, K. Popovňáková and J. Zelinka (Czechoslovakia)* 287
Charge effect in the interaction of doxorubicin and derivatives with polydeoxynucleotides
*J. Ruggiero, L.E. Xodo, A. Ciana, G. Manzini and F. Quadrifoglio (Brazil, Italy)* 294
Footprinting of *Eco*RI endonuclease at high pressure
*R.B. Macgregor, Jr. (U.S.A.)* 303
Developmental expression of hexokinase 1 in the rat
*L.D. Griffin, B.D. Gelb, V. Adams and E.R.B. McCabe (U.S.A.)* 309

## *Rapid Report*

Accurate enzymatic cleavage in vitro of a 2′-deoxyribose-substituted ribonuclease III processing signal
*A.W. Nicholson (U.S.A.)* 318

## *Short Sequence-Papers*

Nucleotide sequence of the human 70 kDa peroxisomal membrane protein: a member of ATP-binding cassette transporters
*K. Kamijo, T. Kamijo, I. Ueno, T. Osumi and T. Hashimoto (Japan)* 323
Nucleotide sequence of a transactivating *Bombyx mori* nuclear polyhedrosis virus immediate early gene
*R. Huybrechts, L. Guarino, M. Van Brussel and V. Vulsteke (Belgium, U.S.A.)* 328
Cloning and sequencing of a COUP transcription factor gene expressed in *Xenopus* embryos
*P.J. Matharu and G.E. Sweeney (U.K.)* 331
cDNA cloning and sequence of rat ribonuclease inhibitor, and tissue distribution of the mRNA
*M. Kawanomoto, K. Motojima, M. Sasaki, H. Hattori and S. Goto (Japan)* 335
Primary structure of the murine adenovirus type 1 proteinase
*F. Cai, D. Tang and J.M. Weber (Canada)* 339
Complete nucleotide sequence of the phosphoprotein of the Yamagata-1 strain of a defective

subacute sclerosing panencephalitis (SSPE) virus
*K. Komase, T. Haga, Y. Yoshikawa and K. Yamanouchi (Japan)* 342

*Erratum* 345

*Corrigendum* 347

*Titles of related papers in other sections* 349

*Cumulative Contents, Vol. 1129* 351

*Author Index* 355